



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI : 14.10.05/TSE-10504
REFERENCE NUMBER OF LICENCE
BELGENİN İLK VERİLİŞ TARİHİ : 24/03/2005
DATE OF FIRST ISSUE OF LICENCE
BELGENİN SON GEÇERLİLİK TARİHİ : 24/03/2011
LICENCE VALID UNTIL
BELGE SAHİBİ KURULUŞUN ADI : İZOCAM SANAYİ VE TİC. A.Ş.
NAME OF THE LICENCE HOLDER
BELGE SAHİBİ KURULUŞUN ADRESİ : DİLOVASI MEVKİİ 41455 GEBZE - KOCAELİ / TÜRKİYE
ADDRESS OF THE LICENCE HOLDER
ÜRETİM YERİ ADI : İZOCAM TİCARET VE SANAYİ A.Ş.
NAME OF THE MANUFACTURING PLACE
ÜRETİM YERİ ADRESİ : DİLOVASI MEVKİİ ESKİ EDİRNE ASFALTI GEBZE KOCAELİ / TÜRKİYE
ADDRESS OF THE MANUFACTURING PLACE
İPTAL EDİLEN BELGE NUMARASI (Varsa) :
INDICATION OF SUPERSEDED LICENCE (if any)
TESCİLLİ TİCARİ MARKASI : "İZOCAM FOAMBOARD" TRADE MARK;
REGISTERED TRADE MARK
İLGİLİ TÜRK STANDARDI : TS 11989 EN 13164/30.4.2003
RELATED TURKISH STANDARD

BELGE KAPSAMI
SCOPE OF LICENCE

Types

- 1) Model:1200 D, -(λ): 0.030 W/mK, -CS (10/Y)100, -TR100, -WD(V)3, -FT2, -MU100
- 2) Model:1200 P, -(λ): 0.032 W/mK, -CS (10/Y)100, -TR100, -WD(V)5, -FT1, -MU90
- 3) Model:1500 D, -(λ): 0.029 W/mK, -CS (10/Y)100, -TR100, -WD(V)3, -FT2, -MU100
- 4) Model:1500 P, -(λ): 0.031 W/mK, -CS (10/Y)100, -TR100, -WD(V)5, -FT1, -MU90
- 5) Model:2000 D, -(λ): 0.028 W/mK, -CS (10/Y)200, -TR200, -WD(V)3, -FT2, -MU100
- 6) Model:2000 P, -(λ): 0.031 W/mK, -CS (10/Y)200, -TR200, -WD(V)5, -FT1, -MU90
- 7) Model:2500 D, -(λ): 0.028 W/mK, -CS (10/Y)250, -TR200, -WD(V)3, -FT2, -MU100
- 8) Model:2500 P, -(λ): 0.030 W/mK, -CS (10/Y)250, -TR200, -WD(V)5, -FT1, -MU100
- 9) Model:3000 D, -(λ): 0.028 W/mK, -CS (10/Y)300, -TR200, -WD(V)3, -FT2, -MU100
- 10) Model:3000 P, -(λ): 0.030 W/mK, -CS (10/Y)300, -TR200, -WD(V)5, -FT1, -MU100
- 11) Model:3500 D, -(λ): 0.027 W/mK, -CS (10/Y)300, -TR200, -WD(V)3, -FT2, -MU100
- 12) Model:3500 P, -(λ): 0.029 W/mK, -CS (10/Y)300, -TR400, -WD(V)5, -FT1, -MU100

Common specifications of types

- Reaction to fire classification : B1 (according to TS 11989 EN 13164 - Ek MA)



08...03/2010

MEHMET AYKUTALPOĞLU
DIRECTOR OF CERTIFICATION OF
CONSTRUCTION PRODUCTS

TURKISH STANDARDS INSTITUTION* Necatibey Cad. No:112 Bakanlık Çankaya * tel: 312 4166200 * faks:312 4166712 * web
www.tse.org.tr * e-mail :ubm@tse.org.tr

This certificate may in no way altered, erased or copied in part or in a manner that would render it illegible.



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ EKİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS APPENDIX

SCOPE of CERTIFICATE (14.10.05/TSE-10504 continue) : İZOCAM SANAYİ VE TİC. A.Ş.

İLGİLİ TÜRK STANDARDI TS 11989 EN 13164/30.4.2003
RELATED TURKISH STANDARD

- Thickness tolerances : T1, T2, T3
- Long term water absorption by immersion : WL (T) 0.7,
- Deformation under specified compressive load and temperature conditions : DLT (1)5, DLT (2)5
- Dimensional stability at specified temperature : DS (T+)5
- Dimensional stability under specified temperature and humidity conditions : DS (TH)5



at .../03/2010
MEHMET AYKUTAL POĞLU
DIRECTOR OF CERTIFICATION OF
CONSTRUCTION PRODUCTS